



KART SET UP SHEET

Kart Model: Arrow AX8 28/30

Driver :

Class _____ **Senior National Light** _____ **Event** _____ **Date:** 2008

AXLE SIZE: _____ 30mm _____ **AXLE LENGTH:** _____ 1050mm _____ **AXLE TYPE:** ___Thinwall___

→ **REAR AXLE BEARINGS: 2 or 3?** _____ 3 _____

→ **FRONT CRASH BAR: TIGHT** _____ ☺ _____ **LOOSE** _____

→ **REAR CRASH BAR: TIGHT** _____ ☺ _____ **LOOSE** _____

→ **FRONT TRACK** _____ 15 _____ **mm OF SPACERS INSIDE WHEEL.**

→ **REAR TRACK** _____ 1310 _____ **mm OVERALL WIDTH TO OUTSIDE EDGE OF WHEELS.**

→ **FRONT WHEEL ALIGNMENT: ZERO** _____ **TOE IN** _____ **mm** **TOE OUT** _____ 2 _____ **mm**

→ **FRONT CASTOR: MINIMUM** _____ **CENTRAL** _____ ☺ _____ **MAXIMUM** _____

→ **FRONT CAMBER: ZERO** _____ **POSITIVE** _____ 2 _____ **mm** **NEGATIVE** _____ **mm**

→ **STUB AXLE / TIE ROD MOUNTING HOLE:** Inner mounting holes

→ **SEAT POSITION: A** _____ 25 _____ **mm** **B** _____ flat to ground _____ **mm** **C** _____ 105 _____ **mm**

→ **SEAT STAYS: TIGHT** _____ **LOOSE** _____ ☺ _____

→ **SIDE TORSION BAR: IN** _____ **OUT** _____ ☺ _____

→ **FRONT TORSION BAR: IN** _____ **OUT** _____ ☺ _____ (in for more point in front)

→ **REAR TORSION BAR: OUT** _____ ☺ _____ **VERTICAL** _____ **FLAT** _____

→ **REAR CIK CROSS BAR: TIGHT** _____ **LOOSE** _____ **REMOVED** _____ ☺ _____

→ **TYRE PRESSURE: FRONT LEFT** _____ 25 _____ **FRONT RIGHT** _____ 25 _____ **PSI** _____ **BAR** _____

→ **TYRE PRESSURE: REAR LEFT** _____ 25 _____ **REAR RIGHT** _____ 25 _____ **PSI** _____ **BAR** _____

→ **WHEEL FRONT TYPE:** _____ Std Futura _____

→ **WHEEL REAR TYPE:** _____ Std Futura _____

→ **FRONT HUB LENGTH:** _____ n/a _____

→ **REAR HUB LENGTH:** _____ 75mm _____

→ **SIDE POD BARS: LOOSE** _____ ☺ _____ **TIGHT** _____

→ **FRONT RIDE HEIGHT: LOW** _____ **MIDDLE** _____ ☺ _____ **HIGH** _____

→ **REAR RIDE HEIGHT: LOW** _____ **MIDDLE** _____ **HIGH** _____ ☺ _____

OTHER SPECIAL DETAILS: _____ **Tyre: Dunlop SL1** _____